

TECHNICAL MANUAL

WOODEN BLINDS



WOODEN BLINDS

KLASIK 25 mm

25mm blind represents the basic range of wooden blinds. It's operated by a string with a cone that pulls the blind up or down. The wooden wand then tilts the slats.





Wooden blind is designed for interiors only and comes with a front control.

HANDLING: Control wand and string with a cone. Both control mechanisms are placed on the same side, either on the right ('CP') or on the left ('CL').

SLAT: 25x 2,3 mm

25 mm WOODEN BLIND BASIC PRICELIST CONFIGURATION:

HEAD RAIL: 25x25mm, material: rolled galvanized sheet

COVER STRIP: wood BOTTOM RAIL: wood

HEAD AND BOTTOM RAIL COLOUR: matches with the colour of the slats

SLAT: 25 mm wood

SLAT COLOUR: choose from the sampler

HANDLING: string + wand

COMPONENTS COLOUR: matches the colour of the slats


TECHNICAL DETAILS


| Limit dimensions | | | | | | | | |
|------------------|-------|------|--------|------|---------|--|--|--|
| | WIDTH | | HEIGHT | | MAX | | | |
| | Min. | Max | Min. | Max | SURFACE | | | |
| KLASIK 25mm | 300 | 2400 | 300 | 3000 | 4m² | | | |



ROLL-UP HEIGHT

For every 10 cm of blind's height the roll-up gains 1,5 cm on its height + 5 cm for head and bottom rail combined






MEASURING AND INSTALLATION OF 25mm WOODEN BLINDS

WIDTH MEASURING DIMENSION FOR THE MANUFACTURER HEIGHT MEASURING

MEASURING (INSIDE MOUNT)




WIDTH = A - 2 cm A1= blinds width check (if A1 is smaller than A, A1 is the overriding width)


HEIGHT = B - 1 cm

Measuring and installation

MEASURING (OUTSIDE MOUNT)





MEASURING (CEILING MOUNT)




Measuring and installation

MEASURING (GLAZED SURFACE MOUNT)







WOODEN BLINDS

KLASIK 50mm

50mm Venetian blinds are a deluxe and elegant model of the wooden blinds range and are reminiscent of the 20s era in USA. The slats are mounted in a sheet metal profile which is covered by a designer wooden pelmet.





Wooden blinds are designed for interiors only and come with a front control.

HANDLING: The blind is pulled up using a pull cord control locking mechanism. Slats are tilted by strings with cone and fixated with a thin cord. String + wand control is also available but only to max blind's width of 1,500 mm.

SLAT: 50x 2,3 mm

50mm WOODEN BLIND BASIC PRICELIST CONFIGURATION

HEAD RAIL: 50x50 mm, material: rolled galvanized sheet

COVER STRIP: wood BOTTOM RAIL: wood

HEAD AND BOTTOM RAIL COLOUR: matches with the colour

of the slats

SLAT: 50 mm wood

SLAT COLOUR: choose from the sampler **HANDLING**: pull cord + strings or string + wand

COMPONENTS COLOUR: matches the colour of the slats.


TECHNICAL DETAILS


| Limit dimensions | | | | | | | | |
|------------------|-------|------|--------|------|---------|--|--|--|
| | WIDTH | | HEIGHT | | MAX | | | |
| | Min. | Max | Min. | Max | SURFACE | | | |
| KLASIK | 500 | 2400 | 500 | 3000 | 4m² | | | |



ROLL-UP HEIGHT


For every 10 cm of blind's height the roll-up gains 1,1 cm on its height + 7,5cm for head and bottom rail combined






Measuring and installation

MEASURING (OUTSIDE MOUNT)



EXPLANATORY NOTES

WIDTH = A HEIGHT = B



ATTACHMENT DETAIL

MEASURING (CEILING MOUNT)

